

2/4





FIG. 3



	₹ 9					
516	BIT REDUCTION AND DITHERING	NO	BYPASS	BYPASS	BYPASS	BYPASS
514	IMAGE RESIZING	HIGH COMPLEXITY	LOW COMPLEXITY	LOW COMPLEXITY	LOW COMPLEXITY	LOW COMPLEXITY
515	DERINGING	FILTER 2 HIGH HIGH COMPLEXITY	FILTER 2 LOW LOW COMPLEXITY		BYPASS	BYPASS
510	TYPE 2 FILTERING	FILTER 2	FILTER 2	FILTER 1A FILTER 2A BYPASS	FILTER 1A FILTER 2A BYPASS	BYPASS
208	TYPE 1 TYPE 2 FILTERING FILTERING	FILTER 1	FILTER 1	FILTER 1A	FILTER 1A	BYPASS
206	FILTER TYPE SELECTION	HIGH COMPLEXITY	HIGH COMPLEXITY	LOW COMPLEXITY	BYPASS	BYPASS
204	SKIP DECISION	NO	NO	NO	NO NO	BYPASS
505	REMAINING BATTERY POWER (RBP)	RBP≥ THR1	THR1> RBP≥ THR2	THR2> RBP> THR3	THR3> RBP> THR4	RBP≤ THR4

FIG S

4/4




FIG. 6




FIG. 7